

TECHNICAL INFORMATION

FOR PROFESSIONAL USE ONLY



Capacity	Article number
250 g	11733
1 kg	11734
100 g x 12 (display)	11735

PRODUCT DESCRIPTION

Product designed to remove holograms and microscratches on painted surface. Suitable also to eliminate traces after polishing. Product guarantees perfect gloss and creates a protective layer resistant to detergents. Silicone free.

PHYSICAL AND CHEMICAL PROPERTIES

- Density: 0,96 g/cm³
- Color: White
- Cutting force: 3/5
- Gloss level 5/5
- Application: manual, machine (rotary machine, orbital machine)

RECOMMENDED APPLICATORS

BRAYT POLISHING FOAM FINISH (red),

BRAYT MICROFIBER FINISHING PAD

BRAYT PROFESSIONAL POLISHING LAMBSWOOL

TROTON Sp. z.o.o

Address: Ząbrowo 14A, 78-120 Gościno, Poland, Tel: +48 94 35 123 94
Tel/Fax: +48 94 35 126 22 Website: www.troton.com.pl Email: troton@troton.com.pl



USAGE

- In case of polishing on big surface work a small area at time.
- Apply compound on polishing pad. It's recommended to use a small amount because its excess will increase working time.
- First use polisher in low speed range to accurately distribute product in the surface. Work in speed range between 600 – 800 RPM, depending on polisher
- Gradually increase speed to maximum 2000 RPM.
- Polish until all imperfection are removed and gradually reduce speed.
- After polishing remove any residue using clean microfiber cloth.
- After 24 hours, a protective layer will be created, so the surface should not be cleaned with any abrasive material.

STORAGE

Product works best when its temperature is 15 - 25°C.

Store in close sealed container in temperature 0 - 45°C.

Do not freeze. Store away from acids. Store away from oxidizing agents. Keep away from heat.

WARRANTY PERIOD

24 months from production date.

TROTON Sp. z.o.o

Address: Ząbrowo 14A, 78-120 Gościno, Poland, Tel: +48 94 35 123 94
Tel/Fax: +48 94 35 126 22 Website: www.troton.com.pl Email: troton@troton.com.pl

Updated
12.06.2019 r.



Limitation of responsibility: the information contained in the TDS is up-to-date and correct on the day the information is released.

Because TROTON can not control or predict the conditions under which a product will be used, each user should review information in the specific context of the intended use. To the maximum extent permitted by applicable law, TROTON shall not be liable for damages of any kind arising from the use or reliance on information contained in this TDS.

Given the variety of factors that can affect the use and use of the TROTON product, some of which are only within the user's knowledge and control range, it is essential that the user evaluate the TROTON product to determine if the product is fit for a particular purpose and whether the product is suitable for the user's use.

Under no circumstances shall TROTON be liable to you or any third party for any indirect, incidental, incidental, special or punitive damages, including loss of profits resulting from the use of products manufactured by TROTON and / or TROTON's services.

All information are based upon the precise laboratory studies and many years of experience. The good market position does not release us from the constant supervision of our products quality. However we are not responsible for the final effects of the improper storage or application of our products, as well as for work inconsistent with the good craft practice.

TROTON Sp. z o.o.
Ząbrowo, Poland

TROTON Sp. z.o.o

Address: Ząbrowo 14A, 78-120 Gościno, Poland, **Tel:** +48 94 35 123 94
Tel/Fax: +48 94 35 126 22 **Website:** www.troton.com.pl **Email:** troton@troton.com.pl